

Material Safety Data Sheet for Product ID No: MX9732

MX Factor · 4230 Charter St. · Vernon, CA 90058
Phone: (888) USE-MXNOW · FAX: (323) 277-9157
24- Hour Emergency Telephone: (800) 255-3924

EFFECTIVE DATE: 01/04/05
PRODUCT ID NO.: MX9732

DATE PREPARED: 01/06/06

=====
This Material Safety Data Sheet contains environmental, health and toxicology information for your employees. Please make sure this information is given to them. It also contains information to help you meet community Right To Know emergency response reporting requirements under SARA TITLE III and many other laws. If you resell this product, this MSDS must be given to the buyer or the information incorporated in your MSDS.

=====
This MSDS complies with 29 CFR 1910.1200
(The Hazard Communication Standard)

=====
SECTION I - PRODUCT IDENTIFICATION
=====

PRODUCT DESCRIPTION: RUST BUSTER
D.O.T. PROPER SHIPPING NAME: COMPRESSED GAS, N.O.S.
(CARBON DIOXIDE)
2.2, UN 1956
NFPA CODES: HEALTH - 1 FLAMMABILITY - 1 CORROSIVE - 0 REACTIVITY - 0

=====
SECTION II - COMPONENTS
=====

CARBON DIOXIDE COMPRESSED GAS	PEL: 5,000 MOLAR PPM
CAS #: 124-38-9	TLV: 30,000 MOLAR PPM
HYDROTREATED LIGHT DISTILLATE	PEL: NON ESTABLISHED BY OSHA
CAS #: 64742-47-8	TLV: NON ESTABLISHED BY OSHA
PETROLEUM HYDROCARBON BASE STOCK	PEL: NO LIMIT
CAS #: 64742-54-7	TLV: NO LIMIT

"*" If present, IARL, NTP and OSHA carcinogens and chemical subject to this reporting requirements of SARA TITLE III, SECTION 313 are identified in this section.

=====
SECTION III - PHYSICAL DATA
=====

BOILING POINT FOR PRODUCT: NOT DETERMINED
VAPOR PRESSURE FOR PRODUCT: < 85 psi @ 60 D.F.
VAPOR DENSITY FOR PRODUCT: NOT DETERMINED
SPECIFIC GRAVITY: LIQUID:0.839 @ 60 DF
V.O.C.(GRAMS PER LITER): MEETS C.A.R.B.
WATER SOLUBILITY: NIL
APPEARANCE: OIL - LIQUID
AIR RESOURCE BOARD: COMPLIANT

Material Safety Data Sheet for Product ID No: MX9732

MX Factor · 4230 Charter St. · Vernon, CA 90058
Phone: (888) USE-MXNOW · FAX: (323) 277-9157
24- Hour Emergency Telephone: (800) 255-3924

===== SECTION III - PHYSICAL DATA (CONTINUED) =====

===== SECTION IV - FIRE AND EXPLOSION DATA =====

FLASH POINT(TCC): > 200 DEG F.

EXPLOSIVE LIMIT (PRODUCT): LOWER - N/D UPPER - N/D

SEC04.30

EXTINGUISHING MEDIA: Use dry chemical, foam, or carbon dioxide.

SPECIAL FIRE FIGHTING PROCEDURES: Water may be ineffective but can be used to cool containers exposed to heat or flame. Caution should be exercised when using water or foam as frothing may occur, especially if sprayed into containers of hot, burning liquid.

UNUSUAL FIRE AND EXPLOSIVE CONDITIONS: Dense smoke may be generated while burning. Carbon monoxide, carbon dioxide, and other oxides may be generated as products of combustion.

04.20

GENERAL HAZARD:

Combustible liquid, can form combustible mixtures at temperatures at or above the flashpoint. Static Discharge, material can accumulate static charge which can cause an incendiary electrical discharge. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT cut, weld, braze, solder, drill or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition; they may explode and cause injury or death.

FIRE FIGHTING:

Use water spray to cool fire exposed surfaces and to protect personnel. Isolate "fuel" supply from fire. Use foam, dry chemical, or water spray to extinguish fire. Avoid spraying water directly into storage containers due to danger of boilover. This liquid is volatile and gives off invisible vapors. Either the liquid or vapor may settle in low areas or travel some distance along the ground or surface to ignition sources where they may ignite or explode.

===== SECTION V - HEALTH HAZARD DATA =====

SEC05.30

-FIRST AID-

EYE CONTACT: No first aid procedures are required. However, as a precaution flush eyes with fresh water for 15 minutes. Remove contact lenses if worn.

SKIN CONTACT: No first aid procedures are required. As a precaution, wash skin thoroughly with soap and water. Remove and wash contaminated clothing.

INHALATION: Since this material is not expected to be an immediate inhalation problem, no first aid procedures are required.

INGESTION: If swallowed, give water or milk to drink. Consult medical personnel before inducing vomiting. If medical advice cannot be obtained, then take the person and product container to the nearest medical emergency treatment center or hospital.

Material Safety Data Sheet for Product ID No: MX9732

MX Factor · 4230 Charter St. · Vernon, CA 90058
Phone: (888) USE-MXNOW · FAX: (323) 277-9157
24- Hour Emergency Telephone: (800) 255-3924

===== SECTION V - HEALTH HAZARD DATA (CONTINUED) =====

-IMMEDIATE HEALTH EFFECTS-

EYE PROTECTION: This substance is not expected to cause prolonged or significant eye irritation.

SKIN IRRITATION: This substance is not expected to cause prolonged or significant skin irritation.

DERMAL TOXICITY: If absorbed through the skin, this substance is considered practically non-toxic to internal organs.

RESPIRATORY/INHALATION: The systemic toxicity of this substance has not been determined. However, it should be practically non-toxic to internal organs if inhaled. This hazard evaluation is based on data from similar materials.

INGESTION: If swallowed, this substance is considered practically non-toxic to internal organs.

05.20

GENERAL: This material is an aspiration hazard and defats the skin. Breathing vapors of high concentrations may cause CNS depression.

EYE CONTACT: Slightly irritating but does not injure eye tissue.

SKIN CONTACT: Low order of toxicity. Frequent or prolonged contact may irritate and cause dermatitis. Skin contact may aggravate an existing dermatitis condition.

INHALATION: High vapor/aerosol concentrations (greater than approximately 100 ppm) are irritating to the eyes and the respiratory tract, may cause headaches, dizziness, anesthesia, drowsiness, unconsciousness, and other central nervous system effects, including death.

INGESTION: Small amounts of this product aspirated into the respiratory system during ingestion or vomiting may cause mild to severe pulmonary injury, possibly minimal toxicity.

FIRST AID

EYE CONTACT: Flush eyes with large amounts of water until irritation subsides. If irritation persists, get medical attention.

SKIN CONTACT: Flush with large amounts of water; use soap if available. Remove grossly contaminated clothing, including shoes, and launder before reuse.

INHALATION: Using proper respiratory protection, immediately remove the affected victim from exposure. Administer artificial respiration if breathing is stopped. Keep at rest. Call for prompt medical attention

INGESTION: If swallowed, DO NOT induce vomiting. Keep at rest. Get prompt medical attention.

PRECAUTIONS

SPECIAL PRECAUTIONS: Health studies have shown that many hydrocarbons pose potential human health risks which may vary from person to person. As a precaution, exposure to liquids, vapors, mists or fumes should be minimized.

PERSONAL PROTECTION: For open systems where contact is likely, wear safety glasses with side shields, long sleeves, and chemical resistant gloves. Where concentrations in air may exceed the limits, work

Material Safety Data Sheet for Product ID No: MX9732

MX Factor · 4230 Charter St. · Vernon, CA 90058
Phone: (888) USE-MXNOW · FAX: (323) 277-9157
24- Hour Emergency Telephone: (800) 255-3924

===== SECTION V - HEALTH HAZARD DATA (CONTINUED) =====

practice or other means of exposure reduction are not adequate, NIOSH/MSHA approved respirators may be necessary to prevent overexposure by inhalation.

VENTILATION: The use of mechanical dilution ventilation is recommended whenever this product is used in a confined space, is heated above ambient temperatures, or is agitated.

===== SECTION VI - REACTIVITY DATA =====

06.20

STABILITY: Stable

CONDITIONS TO AVOID: Temperatures above 130 degree F.

HAZARDOUS POLYMERIZATION: Will not occur

MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY: Strong oxidizing agents

HAZARDOUS DECOMPOSITION PRODUCTS: None

===== SECTION VII - SPILL OR LEAK PROCEDURES =====

SEC07.45

STEPS TO BE TAKEN IN CASE CONTAINER IS PUNCTURED AND MATERIAL IS RELEASED:
Clean up area by mopping or with absorbant materials and place in closed container for disposal. Consult Federal, State, and local disposal authorities.

WASTE DISPOSAL METHOD: Consult local authorities for proper waste disposal procedures. Empty de-pressurized containers can not be reused. Cans which are pressurized or contain liquid must be disposed of in a permitted waste management facility. Consult Federal, State, and local disposal authorities for approved procedures.

===== SECTION VIII - PROTECTIVE EQUIPMENT TO BE USED =====

File Not Found or File Error: SEC08.30

===== SECTION IX - SPECIAL PRECAUTIONS OR OTHER COMMENTS =====

SEC09.45

HANDLING STORAGE AND DECONTAMINATION PROCEDURES: When utilizing pressurized containers follow standard safety practices for handling aerosols.

GENERAL COMMENTS: Do not store at temperatures above 120 degree F. Odor is not an adequate warning of potentially hazardous concentrations in air. Releases of these gases may cause a flammable atmosphere with explosion potential.

PRECAUTIONARY STATEMENTS: Please read and follow the directions on the product label. They are your best guide to using this product in the most effective way, and give the necessary safety precautions to protect your health.

Material Safety Data Sheet for Product ID No: MX9732

MX Factor · 4230 Charter St. · Vernon, CA 90058
Phone: (888) USE-MXNOW · FAX: (323) 277-9157
24- Hour Emergency Telephone: (800) 255-3924

===== ADDITIONAL COMMENTS =====

comm.ab

CALIFORNIA AIR RESOURCE BOARD: This product complies with "REGULATION FOR REDUCING VOLATILE ORGANIC COMPOUND EMISSIONS FROM CONSUMER PRODUCTS" for the State of California.

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modification of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

□